Safety Data Sheet

1. IDENTIFICATION

Product Identifier: H.D. ALUMINUM BRIGHTENER

Product Code: A265

Other Name(s):

Date of Revision: January 25, 2017

Recommended Use and Restrictions on Use: acid brightener

Distributed By: Halabi Chemicals Ltd. Phone: 780-473-2608

127 Ozerna Rd NW In Case of Emergency Only, Phone

Edmonton, Alberta, Canada T5Z 2Z4 CANUTEC: 613-996-6666

www.halabichemicals.ca

2. HAZARDS IDENTIFICATION

Classification of the Mixture: Eye Damage/Irritation - Category 1

Skin Corrosion/Irritation - Category 1 Acute Toxicity, Oral - Category 3 Acute Toxicity, Dermal - Category 2 Acute Toxicity, Inhalation - Category 3 Corrosive to Metals - Category 1

Label Elements:

Hazard Pictogram(s):



Signal Word: DANGER

Hazard Statement(s): Causes severe skin burns and eyedamage.

Toxic if swallowed.

Fatal if in contact with skin.

Toxic if inhaled.

May be corrosive to metals.

Precautionary Statement(s):

Prevention: Do not breathe dusts or mists.

Wear protective gloves, protective clothing, and eye/face protection.

Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Keep only in original packaging.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or

ohysician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash

contaminated clothing before reuse. Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do. Continue rinsing. Immediately call a poison centre or physician.

Absorb spillage to prevent material-damage.

Storage: Store in a well-ventilated place.

Keep container tightly closed.

Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical/health hazards not otherwise classified:

not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u> <u>Conc.</u> <u>CAS #</u> <u>Common Names</u>

hydrogen fluoride (49%) 10.0% 7664-39-3 hydrofluoric acid, fluoric acid

sulphuric acid 15.0% 7664-93-9

4. FIRST-AID MEASURES

Necessary Measures:

IF ON SKIN: Call a physician immediately. Take victim to hospital immediately. Take off contaminated clothing and shoes immediately. Wash off with plenty of water. First treatment with calcium gluconate paste. Rinse with lukewarm running water. Make sure hospital staff is aware of the unique characteristics of injuries caused by HF exposures and the fact that the systemic toxic effects of the exposure will require prompt serum monitoring of fluorides, calcium, magnesium and sodium, and calcium replacement by infusion.

IF SWALLOWED:If conscious, rinse mouth with fresh water, give 1% aqueous calcium gluconate to drink.

First aid - Note to Physician: Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves; continue to massage while repeatedly applying gel until 15 minutes after pain is relieved. HF-Antidote Gel from IPS Healthcare is recommended as treatment for injuries from hydrofluoric acid.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison centre or physician.

Most important symptoms, both acute and delayed:

Causes serious eye damage.
Causes severe skin burns and eye damage.
Toxic if swallowed.
Fatal if in contact with skin.
Toxic if inhaled.

Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide and oxides of sodium.

Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

Environmental precautions:

Prevent from entering sewers, waterways or low areas.

Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE

Precautions for safe handling:

Do not breathe dusts or mists.

Do not get in eyes, on skin, or on clothing.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Keep only in original packaging.

Do not ingest. Avoid contact with eyes, skin and clothing

Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place.

Keep container tightly closed.

Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Keep out of reach of children. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters - Exposure limits:

Ingredient: Limit:

hydrogen fluoride (49%) ACGIH TLV-TWA: 2 ppm Ceiling

mmediately Dangerous to Life or Health: 30 ppm ACGIH TLV-TWA: 0.2 mg/m3; TLV-STEL: 3 mg/m3

Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

Other protection:

sulphuric acid

Wear protective gloves, protective clothing, and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.): clear, colourless liquid

Odour: pungent odour **Odour threshold:** not available pH: <1 Melting/Freezing point: pas disponible Initial boiling point and range: not available Flash point: not applicable **Evaporation rate:** not available Flammability (solid, gas): not available Upper/lower flammability or explosive limits: not available Vapour pressure: not available Vapour density: not available Relative density (specific gravity): 1.142 Solubility(ies): 100% Partition co-efficient: n-octanol/water: not available

Partition co-efficient: n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

not available
not available
not available

10. STABILITY AND REACTIVITY

Reactivity:

This material is considered to be non-reactive under normal use conditions.

Chemical stability:

Stable.

Possibility of hazardous reactions:

Reacts with metals

Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

Incompatible materials:

Oxidizers / Base

Hazardous decomposition products:

not available

11. TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS

Inhalation:Toxic if inhaled.Ingestion:Toxic if swallowed.

Eye contact: Causes serious eye damage. **Skin contact:** Fatal if in contact with skin.

Skin absorption: not available

POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:not availableIngestion:not availableEye contact:not availableSkin contact:not availableSkin absorption:not available

Mutagenicity: not available

Carcinogenicity:This information, if applicable, can be found in Section 2.Reproductive toxicity:This information, if applicable, can be found in Section 2.Sensitization of product:This information, if applicable, can be found in Section 2.

Specific Target Organ Toxicity - single exposure: Specific Target Organ Toxicity - repeated exposure:

Toxicological Data:

Ingredient:

hydrogen fluoride (49%)

sulphuric acid

This information, if applicable, can be found in Section 2. This information, if applicable, can be found in Section 2.

Data:

Oral LD50: ~5 mg/kg (rat)
Dermal LD50: ~5 mg/kg (rat)

Inhalation LC50: ~0.5 mg/L 4h (rat) Oral LD50: 2140 mg/kg (rat)

Inhalation LC50: 160 mg/L 4h (mouse)

Other Toxicological Information on Ingredients:

hydrogen fluoride (49%)

Severe hydrofluoric acid exposure may result in systemic fluoride poisoning. Hydrofluoric acid can deeply penetrate into tissues, causing spontaneous depolarization of the nervous tissue. Excessive amounts can: weaken and degenerate bone structure, cause joint damage, kidney damage, and heart, asthma, nerve, intestinal and rheumatism problems.

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available

not available

not available

not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

TDG classification: UN 1760; CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID, SULPHURIC ACID);

CLASS 8 (6.1); PG I

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Halabi Chemicals Ltd., Ph.: 780-473-2608

Date of Preparation:January 25, 2017Date of Revision:January 25, 2017

End of Document