Safety Data Sheet

1. IDENTIFICATION

Product Identifier: GRAFFITI B GONE Date of Revision: January 30, 2017

Product Code: 1336

Other Name(s):

Recommended Use and Restrictions on Use: industrial cleaner

Distributed By: Halabi Chemicals Ltd. Phone: 780-473-2608

127 Ozerna Rd. NW In Case of Emergency Only, Phone

Edmonton, Alberta, Canada T5Z 2Z4 CANUTEC: 613-996-6666

www.halabichemicals.ca

2. HAZARDSIDENTIFICATION

Classification of the Mixture: Eye Damage/Irritation - Category 2A

Skin Corrosion/Irritation - Category 2

Label Elements:

Hazard Pictogram(s):



Signal Word: WARNING

Hazard Statement(s): Causes serious eye irritation.

Causes skin irritation.

Precautionary Statement(s):

Prevention: Wash hands thoroughly after handling.

Wear protective gloves and eye protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do. Continue rinsing.

If eye irritation persists: Get medical advice. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice.

Take off contaminated clothing and wash it before reuse.

Storage: not applicable Disposal: not applicable

Physical/health hazards not otherwise classified:

not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u> <u>Conc.</u> <u>CAS #</u> <u>Common Names</u>

ethylene glycol monobutyl ether 6.0% 111-76-2 2-butoxy ethanol, glycol ether EB

dodecylbenzene isopropylamine sulfonate 8.0% 26264-05-1 glycol ether DE 6.0% 111-90-0

4. FIRST-AID MEASURES

Necessary Measures:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice.

Take off contaminated clothing and wash it before reuse.

Most important symptoms, both acute and delayed:

Causes serious eye irritation.

Causes skin irritation.

Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate oxides of carbon, nitrogen and sulphur.

Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

Environmental precautions:

Prevent from entering sewers, waterways or low areas.

Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE

Precautions for safe handling:

Wash hands thoroughly after handling.

Do not ingest. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities:

Keep out of reach of children. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters - Exposure limits:

<u>Ingredient:</u> <u>Limit:</u>

ethylene glycol monobutyl ether ACGIH TWA: 20 ppm

dodecylbenzene isopropylamine not available

sulfonate

glycol ether DE not available

Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

Respiratory protection:

Decomposition temperature:

Viscosity:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

not available

not available

Other protection:

Wear protective gloves and eye protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.): clear and colourless liquid a mild solvent odour

Odour threshold: not available 6.5 - 7.5pH: Melting/Freezing point: not available Initial boiling point and range: not available Flash point: not applicable **Evaporation rate:** not available Flammability (solid, gas): not available Upper/lower flammability or explosive limits: not available Vapour pressure: not available Vapour density: not available Relative density (specific gravity): 1.016 Solubility(ies): soluble Partition co-efficient: n-octanol/water: not available Auto-ignition temperature: not available

10. STABILITY AND REACTIVITY

Reactivity:

This material is considered to be non-reactive under normal use conditions.

Chemical stability:

Stable.

Possibility of hazardous reactions:

not available

Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

Incompatible materials:

Oxidizers / Acid / Base

Hazardous decomposition products:

not available

11. TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS

Inhalation:May cause respiratory tractirritation.Ingestion:May be harmful if swallowed.Eye contact:Causes serious eye irritation.Skin contact:Causes skin irritation.

Skin absorption: not available

POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:not availableIngestion:not availableEye contact:not availableSkin contact:not availableSkin absorption:not available

Mutagenicity: not available

Carcinogenicity:

Reproductive toxicity:

Sensitization of product:

Specific Target Organ Toxicity - single exposure:

Specific Target Organ Toxicity - repeated exposure:

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

Toxicological Data:

<u>Ingredient:</u> <u>Data:</u>

ethylene glycol monobutyl ether Oral LD50: 745 mg/kg (rat)

Dermal LD50: 1250 mg/kg (rat)

dodecylbenzene isopropylamine sulfonate

Oral LD50: 1300 mg/kg (rat)

glycol ether DE not available

Other Toxicological Information on Ingredients:

ethylene glycol monobutyl ether

Chronic Effects: Organic solvents may be absorbed into the body by inhalation and ingestion and cause permanent damage to the nervous system, including the brain. Risk of damage to blood system. May cause damage to the liver and kidneys. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Reproductive effects: Possible risk of harm to the unborn child. Possible risk of impaired fertility. Components in this product have been shown to cause birth defects and reproductive disorders in laboratory animals.

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available
not available
not available
not available
not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

TDG classification: NON-REGULATED

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Halabi Chemicals Ltd., Ph.: 780-473-2608

Date of Preparation:January 30, 2017Date of Revision:January 30, 2017

End of Document

GRAFFITI B GONE Page 4 of 4