

Safety Data Sheet

1. IDENTIFICATION

Product Identifier: GT-750
Product Code: S774
Other Name(s):

Date of Revision: February 10, 2017

Recommended Use and Restrictions on Use: antifreeze

Distributed By: Halabi Chemicals Ltd.
127 Ozerna Rd. NW
Edmonton, Alberta, Canada T5Z 2Z4
www.halabichemicals.ca

Phone: 780-473-2608
In Case of Emergency Only, Phone
CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification of the Mixture: Specific Target Organ Toxicity (Repeated Exposure) - Category 2

Label Elements:

Hazard Pictogram(s):



Signal Word: WARNING

Hazard Statement(s): May cause damage to organs (kidneys, liver, central nervous system) through prolonged or repeated exposure.

Precautionary Statement(s):

Prevention: Do not breathe fumes or vapours.

Response: Get medical advice/attention if you feel unwell.

Storage: not applicable

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical/health hazards not otherwise classified:

There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup).

3. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Chemical Name</u> | <u>Conc.</u> | <u>CAS #</u> | <u>Common Names</u> |
|----------------------|--------------|--------------|---------------------|
| ethylene glycol | 60.0% | 107-21-1 | |

4. FIRST-AID MEASURES

Necessary Measures:

Get medical advice/attention if you feel unwell.

Most important symptoms, both acute and delayed:

May cause damage to organs (kidneys, liver, central nervous system) through prolonged or repeated exposure.

Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide, irritating aldehydes and ketones.

Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

Environmental precautions:

Prevent from entering sewers, waterways or low areas.

Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE**Precautions for safe handling:**

Do not breathe fumes or vapours.
Do not ingest. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities:

Keep out of reach of children. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters - Exposure limits:**

| <u>Ingredient:</u> | <u>Limit:</u> |
|--------------------|--|
| ethylene glycol | TWA: 100 mg/m ³ ACGIH (TLV) |
| | CEIL: 125 mg/m ³ OSHA (PEL) |
| | CEIL: 50 ppm OSHA (PEL) |

Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

Other protection:

not applicable

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|-------------------------|
| Appearance (physical state, colour etc.): | clear colourless liquid |
| Odour: | not available |
| Odour threshold: | not available |
| pH: | 8.4 |
| Melting/Freezing point: | -50 C |
| Initial boiling point and range: | not available |
| Flash point: | not applicable |
| Evaporation rate: | not available |
| Flammability (solid, gas): | not available |
| Upper/lower flammability or explosive limits: | not available |
| Vapour pressure: | not available |
| Vapour density: | not available |
| Relative density (specific gravity): | 1.079 |
| Solubility(ies): | complete |
| Partition co-efficient: n-octanol/water: | not available |
| Auto-ignition temperature: | not available |
| Decomposition temperature: | not available |
| Viscosity: | not available |

10. STABILITY AND REACTIVITY**Reactivity:**

This material is considered to be non-reactive under normal use conditions.

Chemical stability:

Stable.

Possibility of hazardous reactions:

not available

Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

Incompatible materials:

Oxidizers / Acid / Base

Hazardous decomposition products:

not available

11. TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS

Inhalation: May cause respiratory tract irritation.
Ingestion: May be harmful if swallowed.
Eye contact: May cause eye irritation.
Skin contact: May cause mild skin irritation.
Skin absorption: not available

POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation: not available
Ingestion: not available
Eye contact: not available
Skin contact: not available
Skin absorption: not available

Mutagenicity: not available
Carcinogenicity: This information, if applicable, can be found in Section 2.
Reproductive toxicity: This information, if applicable, can be found in Section 2.
Sensitization of product: This information, if applicable, can be found in Section 2.
Specific Target Organ Toxicity - single exposure: This information, if applicable, can be found in Section 2.
Specific Target Organ Toxicity - repeated exposure: This information, if applicable, can be found in Section 2.

Toxicological Data:

Ingredient:

ethylene glycol

Data:

Oral LD50: 4700 mg/kg (rat)

Other Toxicological Information on Ingredients:

ethylene glycol

There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup). This material has also been shown to be toxic and potentially lethal by ingestion to cats and dogs.

The substance may be toxic to kidneys, liver, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available): not available
Persistence and degradability: not available
Bioaccumulative potential: not available
Mobility in soil: not available
Other adverse effects: not available
Ecological Information on Ingredients: not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

TDG classification: NON-REGULATED

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Halabi Chemicals Ltd., Ph.: 780-473-2608
Date of Preparation: February 10, 2017
Date of Revision: February 10, 2017

End of Document

